	SPECIFICATION NO. MTD-1973-012-19		Page 1 of 8
	TENDER'S NAME:		NO:
	TENDER NO:	ITEM NO:	QTY:
	DESCRIPTION: <u>REFUSE COLLECTION TRUCK</u> COMPACTING WITH EJECTION (TIPPING) SY		IONE
	TENDERER'S Column to be completed by ALL TE	NDERERS	
	SPECIFICATION	REQUIREMENT	TENDERER'S
Α.	TRUCK (CAB-CHASSIS)		
	MAKE	-	
	MODEL	-	
	COUNTRY OF ORIGIN	-	
	MANUFACTURER'S LITERATURE, AUTHORIZATION AND SPECIFICATIONS SUPPLIED.	Yes Mandatory	(Yes/No)
1.	GENERAL		
a)	A standard production, 4x2, 7 ton payload, refuse collection side loader truck, with ejection(tipping) system, of latest design, robust construction, in current production, marketed in Kenya.	Yes, Yes, Yes	(Yes/No)
b)	Supplied new.	Yes	(Yes/No)
c)	Designed to heavy-duty export specifications, capable of operating in tropical conditions over paved and unpaved roads.	Yes, Yes, Yes	(Yes/No)
d)	Suitable for collecting, transporting and discharging refuse.	Yes	(Yes/No)
e)	Truck to be loaded manually on both sides and to discharge (tip) refuse at the rear.	Yes Mandatory	(Yes/No)
f)	Control Forward/Normal	Specify	
2.	DIMENSIONS AND WEIGHTS		
a)	Overall length, min.	7,000mm	mm
Teno Date	derer's Signature	Official stamp	

Tenderer's Signature

Date:

	SPECIFICATION NO. MTD-1973-012-19		Page 2 of 8
	TENDER'S NAME:		NO:
	TENDER NO:	ITEM NO:	QTY:
	DESCRIPTION: <u>REFUSE COLLECTION TRU</u> COMPACTING WITH EJECTION (TIPPING) S		NONE
	TENDERER'S Column to be completed by ALL		
	Overall width, approx.	2,300mm	1
	Overall height, min.	2,600mm	1
	Wheelbase, min.	4,000mm	
	Length of chassis aft of cab, min.	4,000mm	1
	Kerb weight, min.	3,500Kg	
	G.V.W., min.	12,500kg	
	Payload min.	7,000 Kg	
	Permissible/legal front (steering) axle load, max.	8,000Kg	
	Permissible/legal rear (dual axle load, max.	10,000Kg	
	Turning radius, approx.	8,800mm]
	ENGINE		
	Make	-	
	Model	-	
	Country of origin	-	
	Engine performance curves supplied.	Yes	(Y
	Diesel Engine, water cooled, 4 Stoke.	Yes, Yes, Yes	(Y
	Mode of aspiration. (Natural/Turbocharged)	specify	
	Piston displacement, approx.	4,500 – 10,000cc	
	Number of cylinders	6	
	Maximum power output / rpm, min.	160Hp / 3000rpm	Hp/1
	Maximum torque developed /rpm, min.	440Nm /1700rpm	Nm/1
_	Air cleaner type, disposable/ oil bath.	specify	

	SPECIFICATION NO. MTD-1973-012-19		Page 3 of 8
	TENDER'S NAME:		NO:
	TENDER NO:	ITEM NO:	QTY:
	DESCRIPTION: <u>REFUSE COLLECTION TRUC</u> COMPACTING WITH EJECTION (TIPPING) SY		NONE
	TENDERER'S Column to be completed by ALL T	<u> </u>	
1)	Oil and fuel filter type	disposable	
m)	Average fuel consumption (on full load)	specify	km/l
n)	Fuel tank capacity, approx.	200Lt	Lt
o)	Extra fuel tank fitted	Yes	(Y/N)
	Capacity	specify	Lt
4.	CLUTCH AND TRANSMISSION		
a)	Clutch, dry type, single plate.	Yes, Yes	(Yes/No)
b)	Clutch, system actuation, Hydraulic	Yes	(Yes/No)
c)	Gearbox, synchromesh.	Yes	(Yes/No)
d)	Number of speeds,min.	5F, 1R	F/ R
e)	Drive configuration.	4x2	X
5.	BRAKES, TYRES AND SUSPENSION.	_	
a)	Brakes, hydraulic-pneumatic assisted.	Yes	(Yes/No)
b)	Mechanical parking brake to act on transmission.	Yes	(Yes/No)
c)	Rear tyres.	Dual	
d)	Tires size locally available.	Yes	(Yes/No)
e)	Optimum tire size	Specify	
f)	Suspension, front and rear heavy-duty leaf springs with telescopic shock absorbers at front.	Yes, Yes	(Yes/No)
6.	STEERING, CONTROL AND CAB.		
a)	Right Hand drive steering	Yes	(Yes/No)
b)	Steering Type, assisted.	Yes	(Yes/No)
Tende	erer's Signature	Official stam	np.

	SPECIFICATION NO. MTD-1973-012-19		Page 4 of 8
	TENDER'S NAME:		NO:
	TENDER NO:	ITEM NO:	QTY:
	DESCRIPTION: <u>REFUSE COLLECTION TRUCK</u> COMPACTING WITH EJECTION (TIPPING) SYS		<u>NONE</u>
	TENDERER'S Column to be completed by ALL TE	NDERERS	
c)	All steel, spacious cab to seat 3 passengers comfortably.	Yes, Yes	(Yes/No
d)	Adjustable driver's seat.	Yes	(Yes/No
e)	Seat belts to conform to KEBS 06-664:1985 STANDARD.	Yes	(Yes/No
7.	ELECTRICAL SYSTEM AND INSTRUMENTS		.
a)	System voltage, negative earth.	24V, Yes	(Yes/No
b)	Battery capacity and size.	Specify	Al
c)	Full lighting to conform to Cap 403 Subs.23-Kenya Traffic Act.	Yes	(Yes/No
d)	Standard instruments, gauges and warning lights for charging circuit, oil pressure, coolant temperature etc.	Yes	(Yes/No
8.	EQUIPMENT ETC.		
a)	Heavy-duty type front fender.	Yes	(Yes/No
b)	Laminated (safety) windshield.	Yes	(Yes/No
c)	Sun visors supplied.	Yes	(Yes/No
d)	Rear view mirrors (external both sides and internal) supplied.	Yes	(Yes/No
e)	Full size spare tyre with rim and carrier mounted under truck.	Yes	(Yes/No
f)	Hydraulic (telescopic) jack, wheel brace and manufacturer's standard tools, supplied.	Yes, Yes, Yes	(Yes/No
g)	Any other equipment (or accessories) supplied.	Specify	

Tenderer's Signature Date:

Tenderer's Signature Date:

_	MO1&I/M1D/QMS/1493		
	SPECIFICATION NO. MTD-1973-012-19		Page 5 of 8
	TENDER'S NAME:		NO:
	TENDER NO:	ITEM NO:	QTY:
	DESCRIPTION: REFUSE COLLECTION TRUCK COMPACTING WITH EJECTION (TIPPING) SY		NONE
	TENDERER'S Column to be completed by ALL TE	NDERERS	
h)	Vehicle to be fitted with electronic speed governor	Yes, Mandatory	(Yes/No)
i)	Governor to limit maximum speed to 80km/hr	Yes, Mandatory	(Yes/No)
j)	Governor to be tamper proof	Yes, Mandatory	(Yes/No)
В.	CREW CABIN		
	BODY CONSTRUCTION		
9	REFUSE COLLECTION BODY		<u>, </u>
a)	The requirement is for a fabricated steel refuse collection body type to be mounted on the cab chassis.	Yes, Yes	(Y/N)
b)	Designed and fitted as per the Truck chassis manufacturers specifications.	Yes	(Y/N)
c)	Standard manufacturers shape –semi circular type cross section, diameter height, 2500x1800mm approx.	Yes, Specify	(Yes/No)
d)	Tipper body dimensions approx, Length Width height	4,000mm 2,500mm 1,800mm	mm mm mm
e)	A suitable steel fabricated refuse collection and tipping body or any other suitable material strong and able to resist corrosion; covered to prevent refuse falling during movement of truck	Yes Specify body material	(Yes/No)
f)	Body to have a suitable tipping mechanism at the front underside of body to enable refuse discharge.	Yes, Mandatory	(Yes/No)

	Page 6 of 8
	NO:
ITEM NO:	QTY:
	A, NONE
	ITEM NO: RUCK (SIDE LOADER G) SYSTEM). 7TON

TENDERER'S Column to be completed by ALL TENDERERS

		Specify type of tipping mechanism and where located	
g)	Tipping controls to be located in the drivers cabin	Yes, Mandatory Specify	(Yes/No)
h)	To have suitable lateral opening (up-down sliding) doors with rails on the sides about 4No. for manual loading of refuse.	Yes, Mandatory Specify	(Yes/No)
i)	Body floor fabricated from 4mm thick mild steel plate (full width) reinforced.	Yes	(Y/N)
j)	Fitted with under floor sump to prevent liquid seepage and to allow clean discharge of any liquid content.	Yes	(Yes/No)
k)	To have a suitable door at the rear for tipping (discharging) refuse.	Yes	(Yes/No)
1)	All doors to have suitable ladders/steps and grip handles.	Yes	(Yes/No)
m)	Suitable size tool box to be fitted under body on the left side.	Yes	(Y/N)
n)	Chevrons and reflectors fitted on rear to conform to Kenya Traffic Act.	Yes	(Y/N)
o)	Suitable size rear mudguards fitted.	Yes	(Y/N)
p)	Stone guards fitted for tail lights.	Yes	(Y/N)

Tenderer's Signature Date:

	MOT&I/MTD/QMS/1493		
	SPECIFICATION NO. MTD-1973-012-19		Page 7 of 8
	TENDER'S NAME:		NO:
	TENDER NO:	ITEM NO:	QTY:
	DESCRIPTION: <u>REFUSE COLLECTION TRUCK</u> COMPACTING WITH EJECTION (TIPPING) SYS		NONE
	TENDERER'S Column to be completed by ALL TE	NDERERS	
10.	WARRANTY		
a)	Specimen of vehicle warranty to be submitted when tendering.	Yes	(Yes/No)
b)	Each vehicle supplied to carry a statement of warranty.	Yes Mandatory	(Yes/No)
c)	Warranty duration min., 12 Months or 40,000 Km	Specify	Km
	whichever occurs first.		Months
11.	MANUALS		
a)	All literature in English language.	Yes	(Yes/No)
b)	Shop manuals/CD supplied.	1 per vehicle	(Yes/No
c)	Parts catalogue supplied.	1 per vehicle	(Yes/No
d)	Driver's handbook and service schedule supplied.	1 per vehicle	(Yes/No)
12.	ADDITIONAL REQUIREMENTS		
a)	All body steelwork to be thoroughly cleaned before painting to reduce corrosion. Both internal and exterior finish to be proceeded by one coat primer (red oxide) and intercoat. User to choose final colour and signage.	Yes, Yes, Yes	(Y/N)
a)	Truck to be registered with the Registrar of Motor Vehicles.	Yes	(Yes/No)
b)	Truck to be inspected by the Chief Mechanical and Transport Engineer for compliance with the specification throughout the construction stages and prior to delivery to the user.	Yes Mandatory	(Yes/No)
c)	Franchise holder (representative in Kenya)	Yes	(Yes/No)

Tenderer's Signature Date:

SPECIFICATION NO. MTD-1973-012-19	Page 8 of 8
TENDER'S NAME:	NO:
TENDER NO:	ITEM NO: QTY:
DESCRIPTION: REFUSE COLLECTION COMPACTING WITH EJECTION (TIPP	

TENDERER'S Column to be completed by ALL TENDERERS

	If not, specify relationship with the Franchise holder	Specify whether agent/dealer	
d)	Availability of spare parts.	Indicate motor vehicle dealers who stock spare parts.	
e)	Names and addresses of dealers/agents where back-up service can be obtained indicating the location of the workshop facilities.	Specify	

Tenderer's Signature Date: